INDEX TO AUTHORS

ABRAMSON, N., GELFAND, E. W., JANDL, J. H., and ROSEN, F. S. The interaction between human monocytes and red cells. Specificity for IgG subclasses and IgG fragments, 1207

—, LOBUGLIO, A. F., JANDL, J. H., and COTRAN, R. S. The interaction between human monocytes and red cells. Binding characteristics, 1191

AMANTE, LUISA. See PERNIS, FORNI, and AMANTE, 1001

ANDERSSON, BIRGER. Studies on the regulation of avidity at the level of the single antibody-forming cell. The effect of antigen dose and time after immunization, 77

ANDRE-SCHWARTZ, JANINE. See ARMSTRONG, GLEICHMANN, GLEICHMANN, BELDOTTI, ANDRE-SCHWARTZ, and SCHWARTZ, 417

ARMSTRONG, MARTINE Y. K., GLEICHMANN, ERNST, GLEICHMANN, HELGA, BELDOTTI, LORRAINE, ANDRE-SCHWARTZ, JANINE, and SCHWARTZ, ROBERT S. Chronic allogeneic disease. II. Development of lymphomas, 417

ASHERSON, G. L., and ZEMBALA, M. Contact sensitivity in the mouse. IV. The role of lymphocytes and macrophages in passive transfer and the mechanism of their interaction, 1

ASOFSKY, RICHARD. See BIOZZI, ASOFSKY, LIEBERMAN, STIFFEL, MOUTON, and BENACERRAF, 752

AUSTRIAN, ROBERT. See KNECHT, SCHIFFMAN, and AUSTRIAN, 475

BARRON, BRUCE A. See MORSE and BARRON, 663

BASEMAN, JOEL G., PAPPENHEIMER, A. M., JR., GILL, D. M., and HARPER, ANNALBEL A. Action of diphtheria toxin in the guinea pig, 1138

BEARN, ALEXANDER G. See DANES, SCOTT, and BEARN, 765

BEER, ALAN E., and BILLINGHAM, R. E. Implantation, transplantation, and epithelial–mesenchymal relationships in the rat uterus, 721

BELDOTTI, LORRAINE. See ARMSTRONG, GLEICHMANN, GLEICHMANN, BELDOTTI, ANDRE-SCHWARTZ, and SCHWARTZ, 417

BENACERRAF, BARUJ. See BIOZZI, ASOFSKY, LIEBERMAN, STIFFEL, MOUTON, and BENACERRAF, 752

—. See KATZ, PAUL, GOIDL, and BENACERRAF, 261

—. See MARTIN, ELLMAN, GREEN, and BENACERRAF, 1259

—. See PAUL, KATZ, GOIDL, and BENACERRAF, 283

BENDICH, AARON. See BORENFREUND, HONDA, STEINGLASS, and BENDICH, 1071

BENJAMIN, D. C., and WEIGLE, W. O. The termination of immunological unresponsiveness to bovine serum albumin in rabbits. I. Quantitative and qualitative response to cross-reacting albumins, 66

BIANCO, CELSO, PATRICK, RICHARD, and NUSSENZWEIG, VICTOR. A population of lymphocytes bearing a membrane receptor for antigen–antibody–complement complexes. I. Separation and characterization, 702

BILLINGHAM, R. E. See BEER and BILLINGHAM, 721

—. See STREILEIN and BILLINGHAM, 163, 181

BIOZZI, GUIDO, ASOFSKY, RICHARD, LIEBERMAN, ROSE, STIFFEL, CLAUDE, MOUTON, DENISE, and BENACERRAF, BARUJ. Serum concentrations and allotypes of immunoglobulins in two lines of mice genetically selected for "high" or "low" antibody synthesis, 752

BLANDEN, R. V. Mechanisms of recovery from a generalized viral infection: mousepox. I. The effects of anti-thymocyte serum, 1035

BLOOM, BARRY R., JIMENEZ, LUIS, and MARCUS, PHILIP I. A plaque assay for enumerating antigen-sensitive cells in delayed-type hypersensitivity, 16

BORENFREUND, ELLEN, HONDA, YUJI, STEINGLASS, MILDRED, and BENDICH, AARON. Studies of DNA-induced heritable alteration of mammalian cells, 1071

BOROS, DOV L., and WARREN, KENNETH S. Delayed hypersensitivity-type granuloma formation and dermal reaction induced and elicited by a soluble factor isolated from *Schistosoma mansoni* eggs, 488

BRADLEY, KATHRYN H. See SCHULMAN and BRADLEY, 1090

BRIENT, BRUCE W., and NISONOFF, ALFRED. Quantitative investigations of idiotypic antibodies. IV. Inhibition by specific haptens of the reaction of anti-hapten antibody with its anti-idiotypic antibody, 951

BULLOCK, WESLEY W., and RITTENBERG, MARVIN B. In vitro-initiated secondary anti-hapten response. II. Increasing cell avidity for antigen, 926

BUXBAUM, JOEL. See ZOLLA, BUXBAUM, FRANKLIN, and SCHARFF, 148

BYERS, V. S., and SERCARZ, E. E. Induction and reversal of immune paralysis in vitro, 845

BYSTRYN, JEAN-CLAUDE, GRAF, MARTIN W., and UHR, JONATHAN W. Regulation of antibody formation by serum antibody. II. Removal of specific antibody by means of exchange transfusion, 1279

CARBONARA, A. O. See LUZZATI, TOSI, and CARBONARA, 199

CARSWELL, E. A. See TAKAHASHI, CARSWELL, and THORBECKE, 1181

CHEUK, S. FAI, HAHN, HELMUT H., MOORE, DOUGLAS M., KRAUSE, DONALD N., TOMASULO, PETER A., and WOOD, W. BARRY, JR. Studies on the pathogenesis of fever. XX. Suppression and regeneration of pyrogen-producing capacity of exudate granulocytes, 127

CLEM, L. W., and SMALL, P. A., JR. Phylogeny of immunoglobulin structure and function. V. Valences and association constants of teleost antibodies to a haptenic determinant, 385

COHEN, IRUN R., STAVY, LARY, and FELDMAN, MICHAEL. Glucocorticoids and cellular immunity in vitro. Facilitation of the sensitization phase and inhibition of the effector phase of a lymphocyte anti-fibroblast reaction, 1055

COLLEY, D. G., WU, A. Y. SHIH, and WAKSMAN, B. H. Cellular differentiation in the thymus. III. Surface properties of rat thymus and lymph node cells separated on density gradients, 1107

COOPER, NEIL R., and MÜLLER-EBERHARD, HANS J. The reaction mechanism of human C5 in immune hemolysis, 775

COTRAN, R. S. See ABRAMSON, LOBUGLIO, JANDL, and COTRAN, 1191

—. See VENKATACHALAM, COTRAN, and KARNOVSKY, 1168

—. See VENKATACHALAM, KARNOVSKY, FAHIMI, and COTRAN, 1153

CUDKOWICZ, GUSTAVO, SHEARER, G. M., and ITO, T. Cellular differentiation of the immune system

of mice. VI. Strain differences in class differentiation and other properties of marrow cells, 623
CUDKOWICZ, GUSTAVO, See MILLER and CUDKOWICZ, 1122

DAHL, LEWIS K. See KNUDSEN, DAHL, THOMPSON, IWAI, HEINE, and LEITL, 976
DANES, B. SHANNON, SCOTT, J. E., and BEARN, ALEXANDER G. Further studies on metachromasia in cultured human fibroblasts. Staining of glycosaminoglycans (mucopolysaccharides) by Alcian blue in salt solutions, 765
DAY, N. K. B., GEWURZ, H., JOHANNSEN, R., FINSTAD, J., and GOOD, R. A. Complement and complement-like activity in lower vertebrates and invertebrates, 941
DIENER, ERWIN, and FELDMANN, MARC. Antibody-mediated suppression of the immune response in vitro. II. A new approach to the phenomenon of immunological tolerance, 31
DIESSELHOFF-DEN DULK, MARTINA M. C. See VAN FURTH and DIESSELHOFF-DEN DULK, 813
DIXON, FRANK J. See Tonietti, OLDSTONE, and DIXON, 89
DUBEY, J. P., MILLER, NANCY L., and FRENKEL, J. K. The *Toxoplasma gondii* oocyst from cat feces, 636
DUBOS, RENÉ. See GORDON and DUBOS, 251
DVORAK, ANN M. See DVORAK, DVORAK, SIMPSON, RICHERSON, LESKOWITZ, and KARNOVSKY, 558
DVORAK, HAROLD F., DVORAK, ANN M., SIMPSON, BLANCHE A., RICHERSON, HAL B., LESKOWITZ, SIDNEY, and KARNOVSKY, MORRIS J. Cutaneous basophil hypersensitivity. II. A light and electron microscopic description, 558
—. See RICHERSON, DVORAK, and LESKOWITZ, 546

ELLMAN, LEONARD. See MARTIN, ELLMAN, GREEN, and BENACERRAF, 1259

FAHIMI, H. D. See VENKATACHALAM, KARNOVSKY, FAHIMI, and COTRAN, 1153
FEDORKO, MARTHA E. See VAN FURTH, HIRSCH, and FEDORKO, 794
FELDMAN, MICHAEL. See COHEN, STAVY, and FELDMAN, 1055
FELDMANN, MARC. See DIENER and FELDMANN, 31
FINSTAD, J. See DAY, GEWURZ, JOHANNSEN, FINSTAD, and GOOD, 941
FORNI, LUCIANA. See PERNIS, FORNI, and AMANTE, 1001
FRANK, HOWARD A. See LAMBERT and FRANK, 868
FRANKLIN, E. C. See ZOLLA, BUXBAUM, FRANKLIN, and SCHARFF, 148
FRENKEL, J. K. See DUBEY, MILLER, and FRENKEL, 636

GELFAND, E. W. See ABRAMSON, GELFAND, JANDL, and ROSEN, 1207
GEWURZ, H. See DAY, GEWURZ, JOHANNSEN, FINSTAD, and GOOD, 941
GILL, D. M. See BASEMAN, PAPPENHEIMER, GILL, and HARPER, 1138
GILMOUR, D. G., THEIS, G. A., and THORBECKE, G. J. Transfer of antibody production with cells from bursa of Fabricius, 134
GLEICHMANN, ERNST. See ARMSTRONG, GLEICHMANN, GLEICHMANN, BELDOTTI, ANDRE-SCHWARTZ, and SCHWARTZ, 417
GLEICHMANN, HELGA. See ARMSTRONG, GLEICHMANN, GLEICHMANN, BELDOTTI, ANDRE-SCHWARTZ, and SCHWARTZ, 417

GÖTZE, OTTO, and MÜLLER-EBERHARD, HANS J. Lysis of erythrocytes by complement in the absence of antibody, 898
GOIDL, EDMOND A. See KATZ, PAUL, GOIDL, and BENACERRAF, 261
—. See PAUL, KATZ, GOIDL, AND BENACERRAF, 283
GOOD, ROBERT A. See DAY, GEWURZ, JOHANNSEN, FINSTAD, and GOOD, 941
—. See STUTMAN, YUNIS, and GOOD, 583, 601
GORDON, JAMES H., and DUBOS, RENÉ. The anaerobic bacterial flora of the mouse cecum, 251
GRAF, MARTIN W. See BYSTRYN, GRAF, and UHR, 1279
GREEN, IRA. See MARTIN, ELLMAN, GREEN, and BENACERRAF, 1259
GUDAT, FRED G., HARRIS, T. N., HARRIS, SUSANNA, and HUMMELER, KLAUS. Studies on antibody-producing cells. I. Ultrastructure of 19S and 7S antibody-producing cells, 448

HAHN, HELMUT H. See CHEUK, HAHN, MOORE, KRAUSE, TOMASULO, and WOOD, 127
HARPEL, PETER C. Human plasma alpha 2-macroglobulin. An inhibitor of plasma kallikrein, 329
HARPER, ANNABEL A. See BASEMAN, PAPPENHEIMER, GILL, and HARPER, 1138
HARRIS, SUSANNA. See GUDAT, HARRIS, HARRIS, and HUMMELER, 448
HARRIS, T. N. See GUDAT, HARRIS, HARRIS, and HUMMELER, 448
HARTMANN, KLAUS-ULRICH. Introduction of a hemolysin response in vitro. Interaction of cells of bone marrow origin and thymic origin, 1267
HEIDELBERGER, MICHAEL, and SLODKI, MOREY E. Predicted and unpredicted cross-reactions of an acetylphosphogalactan of *Sporobolomyces* yeast. II. 1105
HEINE, MARTHA. See KNUDSEN, DAHL, THOMPSON, IWAI, HEINE, and LEITL, 976
HERZENBERG, LEONORE A. See WARNER and HERZENBERG, 440
HILGARD, HENRY R. Synergism of thymus and bone marrow in the production of graft-*versus*-host splenomegaly in X-irradiated hosts, 317
HIRSCH, JAMES G. See VAN FURTH, HIRSCH, and FEDORKO, 794
HONDA, YUJI. See BORENFREUND, HONDA, STEINGLASS, and BENDICH, 1071
HUGGINS, CHARLES, WISEMAN, SOL, and REDDI, A. H. Transformation of fibroblasts by allogeneic and xenogeneic transplants of demineralized tooth and bone, 1250
HUMMELER, KLAUS. See GUDAT, HARRIS, HARRIS, and HUMMELER, 448

ITO, T. See CUDKOWICZ, SHEARER, and Ito, 623
IWAI, JUNICHI. See KNUDSEN, DAHL, THOMPSON, IWAI, HEINE, and LEITL, 976

JANDL, J. H. See ABRAMSON, GELFAND, JANDL, and ROSEN, 1207
—. See ABRAMSON, LOBUGLIO, JANDL, and COTRAN, 1191
JEEJEEBHOY, H. F. The effect of heterologous anti-lymphocyte serum on lymphocytes of thymus and marrow origin, 963
JIMENEZ, LUIS. See BLOOM, JIMENEZ, and MARCUS, 16
JOHANNSEN, R. See DAY, GEWURZ, JOHANNSEN, FINSTAD, and GOOD, 941
JOSLIN, F. G. See KUNKEL, JOSLIN, PENN, and NATVIG, 508

KABAT, ELVIN A. See WU and KABAT, 211

KARNOVSKY, MORRIS J. See DVORAK, DVORAK, SIMPSON, RICHERSON, LESKOWITZ, and KARNOVSKY, 558
—. See VENKATACHALAM, COTRAN, and KARNOVSKY, 1168
—. See VENKATACHALAM, KARNOVSKY, FAHIMI, and COTRAN, 1153
KATZ, DAVID H., PAUL, WILLIAM E., GOIDL, EDMOND A., and BENACERRAF, BARUJ. Carrier function in anti-hapten immune responses. I. Enhancement of primary and secondary anti-hapten antibody responses by carrier preimmunization, 261
—. See PAUL, KATZ, GOIDL, and BENACERRAF, 283
KENNEDY, JAMES C., TREADWELL, PERRY E., and LENNOX, EDWIN S. Antigen-specific synergism in the immune response of irradiated mice given marrow cells and peritoneal cavity cells or extracts, 353
KNECHT, JUDITH C., SCHIFFMAN, GERALD, and AUSTRIAN, ROBERT. Some biological properties of pneumococcus Type 37 and the chemistry of its capsular polysaccharide, 475
KNUDSEN, KNUD D., DAHL, LEWIS K., THOMPSON, KEITH, IWAI, JUNICHI, HEINE, MARTHA, and LEITL, GEORGE. Effects of chronic excess salt ingestion. Inheritance of hypertension in the rat, 976
KÖVARY, M. See SELLIN, KÖVARY, ROTHER, and ROTHER, 829
KRAUSE, DONALD N. See CHEUK, HAHN, MOORE, KRAUSE, TOMASULO, and WOOD, 127
KUNKEL, H. G., JOSLIN, F. G., PENN, G. M., and NATVIG, J. B. Genetic variants of γG4 globulin. A unique relationship to other classes of γG globulin, 508

LAMBERT, PETER B., and FRANK, HOWARD A. Cellular and vascular components of the allograft reaction. Evidence from returned skin allografts, 868
LEITL, GEORGE. See KNUDSEN, DAHL, THOMPSON, IWAI, HEINE, and LEITL, 976
LENNOX, EDWIN S. See KENNEDY, TREADWELL, and LENNOX, 353
LESKOWITZ, SIDNEY. See DVORAK, DVORAK, SIMPSON, RICHERSON, LESKOWITZ, and KARNOVSKY, 558
—. See RICHERSON, DVORAK, and LESKOWITZ, 546
LEVY, L. See VAN WINKLE and LEVY, 858
LIEBERMAN, ROSE. See BIOZZI, ASOFSKY, LIEBERMAN, STIFFEL, MOUTON, and BENACERRAF, 752
—. See POTTER and LIEBERMAN, 737
LOBUGLIO, A. F. See ABRAMSON, LOBUGLIO, JANDL, and COTRAN, 1191
LUZZATI, A. L., TOSI, R. M., CARBONARA, A. O. Electrophoretically homogeneous antibody synthesized by spleen foci of irradiated repopulated mice, 199

MÄKELÄ, O. See WIGZELL and MÄKELÄ, 110
MANGI, RICHARD J., and MARDINEY, MICHAEL R., JR. The in vitro transformation of frozen-stored lymphocytes in the mixed lymphocyte reaction and in culture with phytohemagglutinin and specific antigens, 401
MARCUS, PHILIP I. See BLOOM, JIMENEZ, and MARCUS, 16
MARDINEY, MICHAEL R., JR. See MANGI and MARDINEY, 401
MARTIN, WILLIAM JOHN, ELLMAN, LEONARD, GREEN, IRA, and BENACERRAF, BARUJ. Histocompatibility type and immune responsiveness in random bred Hartley strain guinea pigs, 1259
MCCULLAGH, PETER J. The abrogation of sheep erythrocyte tolerance

in rats by means of the transfer of allogeneic lymphocytes, 916
MILLER, HAROLD C., and CUDKOWICZ, GUSTAVO. Antigen-specific cells in mouse bone marrow. I. Lasting effects of priming on immunocyte production by transferred marrow, 1122
MILLER, NANCY L. See DUBEY, MILLER, and FRENKEL, 636
MOORE, DOUGLAS M. See CHEUK, HAHN, MOORE, KRAUSE, TOMASULO, and WOOD, 127
MORSE, STEPHEN I., and BARRON, BRUCE A. Studies on the leukocytosis and lymphocytosis induced by *Bordetella pertussis*. III. The distribution of transfused lymphocytes in pertussis-treated and normal mice, 663
MORTIMER, EDWARD A., JR. See OVERTURF and MORTIMER, 694
MOUTON, DENISE. See BIOZZI, ASOFSKY, LIEBERMAN, STIFFEL, MOUTON, and BENACERRAF, 752
MOZES, EDNA, SHEARER, G. M., and SELA, MICHAEL. Cellular basis of the genetic control of immune responses to synthetic polypeptides. I. Differences in frequency of splenic precursor cells specific for a synthetic polypeptide derived from multichain polyproline ([T, G]-Pro--L) in high and low responder inbred mouse strains, 613
MÜLLER-EBERHARD, HANS J. See COOPER and MÜLLER-EBERHARD, 775
—. See GÖTZE and MÜLLER-EBERHARD, 898

NATVIG, J. B. See KUNKEL, JOSLIN, PENN, and NATVIG, 508
NISONOFF, ALFRED. See BRIENT and NISONOFF, 951
NORTH, R. J. The relative importance of blood monocytes and fixed macrophages to the expression of cell-mediated immunity to infection, 521
NORTH, R. J. Suppression of cell-mediated immunity to infection by an anti-mitotic drug. Further evidence that migrant macrophages express immunity, 535
NUSSENZWEIG, VICTOR. See BIANCO, PATRICK, and NUSSENZWEIG, 702

OLDSTONE, MICHAEL B. A. See TONIETTI, OLDSTONE, and DIXON, 89
OPPENHEIM, JOOST J. See SEEGER and OPPENHEIM, 44
OSOBA, DAVID. Some physical and radiobiological properties of immunologically reactive mouse spleen cells, 368
OVERTURF, GARY D., and MORTIMER, EDWARD A., JR. Studies of the relationship between the production of bacteriocines by Group A streptococci and acute glomerulonephritis, 694
OWEN, J. J. T., and RAFF, M. C. Studies on the differentiation of thymus-derived lymphocytes, 1266

PAPPENHEIMER, A. M., JR. See BASEMAN, PAPPENHEIMER, GILL, and HARPER, 1138
PATRICK, RICHARD. See BIANCO, PATRICK, and NUSSENZWEIG, 702
PAUL, WILLIAM E., KATZ, DAVID H., GOIDL, EDMOND A., and BENACERRAF, BARUJ. Carrier function in anti-hapten immune responses. II. Specific properties of carrier cells capable of enhancing anti-hapten antibody responses, 283
—. See KATZ, PAUL, GOIDL, and BENACERRAF, 261
PENN, G. M. See KUNKEL, JOSLIN, PENN, and NATVIG, 508
PERNIS, BENVENUTO, FORNI, LUCIANA, and AMANTE, LUISA. Immuno-

globulin spots on the surface of rabbit lymphocytes, 1001
POTTER, MICHAEL, and LIEBERMAN, ROSE. Common individual antigenic determinants in five of eight BALB/c IgA myeloma proteins that bind phosphoryl choline, 737

RAFF, M. C. See OWEN and RAFF, 1216
RAJEWSKY, KLAUS. See SCHIRRMACHER and RAJEWSKY, 1019
REDDI, A. H. See HUGGINS, WISEMAN, and REDDI, 1250
RICHERSON, HAL B., DVORAK, HAROLD F., and LESKOWITZ, SIDNEY. Cutaneous basophil hypersensitivity. I. A new look at the Jones-Mote reaction, general characteristics, 546
—. See DVORAK, DVORAK, SIMPSON, RICHERSON, LESKOWITZ, and KARNOVSKY, 558
RITTENBERG, MARVIN B. See BULLOCK and RITTENBERG, 926
ROCHA, MARIA J. See SCHMID, ROITT, and ROCHA, 673
ROITT, IVAN M. See SCHMID, ROITT, and ROCHA, 673
ROSEN, F. S. See ABRAMSON, GELFAND, JANDL, and ROSEN, 1207
ROTHER, K. See SELLIN, KÖVARY, ROTHER, and ROTHER, 829
ROTHER, U. See SELLIN, KÖVARY, ROTHER, and ROTHER, 829

SCHARFF, M. D. See ZOLLA, BUXBAUM, FRANKLIN, and SCHARFF, 148
SCHIFFMAN, GERALD, See KNECHT, SCHIFFMAN, and AUSTRIAN, 475
SCHIRRMACHER, VOLKER, and RAJEWSKY, KLAUS. Determination of antibody class in a system of cooperating antigenic determinants, 1019
SCHMID, FRANK R., ROITT, IVAN M., and ROCHA, MARIA J. Complement fixation by a two-component antibody system: immunoglobulin G and immunoglobulin M antiglobulin (rheumatoid factor). Paradoxical effect related to immunoglobulin G concentration, 673
SCHULMAN, JOSEPH D., and BRADLEY, KATHRYN H. The metabolism of amino acids, peptides, and disulfides in lysosomes of fibroblasts cultured from normal individuals and those with cystinosis, 1090
SCHWARTZ, ROBERT S. See ARMSTRONG, GLEICHMANN, GLEICHMANN, BELDOTTI, ANDRE-SCHWARTZ, and SCHWARTZ, 417
SCOTT, J. E. See DANES, SCOTT, and BEARN, 765
SEEGER, ROBERT C., and OPPENHEIM, JOOST J. Synergistic interaction of macrophages and lymphocytes in antigen-induced transformation of lymphocytes, 44
SELA, MICHAEL. See MOZES, SHEARER, and SELA, 613
SELLIN, D., KÖVARY, M., ROTHER, U., and ROTHER, K. Intrarenal complement fixation by cytotoxic antibodies, 829
SERCARZ, E. E. See BYERS and SERCARZ, 845
SHEARER, G. M. See CUDKOWICZ, SHEARER, and ITO, 623
—. See MOZES, SHEARER, and SELA, 613
SIMPSON, BLANCHE A. See DVORAK, DVORAK, SIMPSON, RICHERSON, LESKOWITZ, and KARNOVSKY, 558
SKARNES, ROBERT C. Host defense against bacterial endotoxemia: mechanism in normal animals, 300
SLODKI, MOREY E. See HEIDELBERGER and SLODKI, 1105
SMALL, MYRA. See TRAININ and SMALL, 885
SMALL, P. A., JR. See CLEM and SMALL, 385

STAVY, LARY. See COHEN, STAVY, and FELDMAN, 1055
STEINGLASS, MILDRED. See BORENFREUND, HONDA, STEINGLASS, and BENDICH, 1071
STIFFEL, CLAUDE. See BIOZZI, ASOFSKY, LIEBERMAN, STIFFEL, MOUTON, and BENACERRAF, 752
STREILEIN, J. WAYNE, and BILLINGHAM, R. E. An analysis of graft-*versus*-host disease in Syrian hamsters. I. The epidermolytic syndrome: description and studies on its procurement, 163
— and —. II. The epidermolytic syndrome: studies on its pathogenesis, 181
STUTMAN, OSIAS, YUNIS, EDMOND J., and GOOD, ROBERT A. Studies on thymus function. I. Cooperative effect of thymic function and lymphohemopoietic cells in restoration of neonatally thymectomized mice, 583
—, —, and —. II. Cooperative effect of newborn and embryonic hemopoietic liver cells with thymus function, 601

TAKAHASHI, T., CARSWELL, E. A., and THORBECKE, G. J. Surface antigens of immunocompetent cells. I. Effect of θ and PC.1 alloantisera on the ability of spleen cells to transfer immune responses, 1181
THEIS, G. A. See GILMOUR, THEIS, and THORBECKE, 134
THOMPSON, KEITH. See KNUDSEN, DAHL, THOMPSON, IWAI, HEINE, and LEITL, 976
THORBECKE, G. J. See GILMOUR, THEIS, and THORBECKE, 134
—. See TAKAHASHI, CARSWELL, and THORBECKE, 1181
TOMASULO, PETER A. See CHEUK, HAHN, MOORE, KRAUSE, TOMASULO, and WOOD, 127
TONIETTI, GIORGIO, OLDSTONE, MICHAEL B. A., and DIXON, FRANK J. The effect of induced chronic viral infections on the immunologic diseases of New Zealand mice, 89
TOSI, R. M. See LUZZATI, TOSI, and CARBONARA, 199
TRAININ, NATHAN, and SMALL, MYRA. Studies on some physicochemical properties of a thymus humoral factor conferring immunocompetence on lymphoid cells, 885
TREADWELL, PERRY E. See KENNEDY, TREADWELL, and LENNOX. 353

UHR, JONATHAN W. See BYSTRYN, GRAF, and UHR. 1279

VAN FURTH, RALPH, and DIESSLEHOFF-DEN DULK, MARTINA M. C. The kinetics of promonocytes and monocytes in the bone marrow, 813
—, HIRSCH, JAMES G., and FEDORKO, MARTHA E. Morphology and peroxidase cytochemistry of mouse promonocytes, monocytes, and macrophages, 794
VAN WINKLE, M., and LEVY, L. Further studies on the reversibility of serum sickness cholesterol-induced atherosclerosis, 858
VENKATACHALAM, M. A., COTRAN, R. S., and KARNOVSKY, M. J. An ultrastructural study of glomerular permeability in aminonucleoside nephrosis using catalase as a tracer protein, 1168
—, KARNOVSKY, M. J., FAHIMI, H. D., and COTRAN, R. S. An ultrastructural study of golmerular permeability using catalase and peroxidase as tracer proteins, 1153

WAKSMAN, B. H. See COLLEY, WU, and WAKSMAN, 1107
WALTERS, CURLA S., and WIGZELL, HANS. Demonstration of heavy and light chain antigenic determinants on the cell-bound receptor

for antigen. Similarities between membrane-attached and humoral antibodies produced by the same cell, 1233

WARNER, NOEL L., and HERZENBERG, LEONORE A. Tolerance and immunity to maternally derived incompatible IgG_{2a}-globulin in mice, 440

WARREN, KENNETH S. See BOROS and WARREN, 488

WEIGLE, W. O. See BENJAMIN and WEIGLE, 66

WIGZELL, HANS, and MÄKELÄ, O. Separation of normal and immune lymphoid cells by antigen-coated columns. Antigen-binding characteristics of membrane antibodies as analyzed by hapten–protein antigens, 110

—. See WALTERS and WIGZELL, 1233

WISEMAN, SOL. See HUGGINS, WISEMAN, and REDDI, 1250

WOOD, W. BARRY, JR. See CHEUK, HAHN, MOORE, KRAUSE, TOMASULO, and WOOD, 127

WU, A. Y. SHIH. See COLLEY, WU, and WAKSMAN, 1107

WU, TAI TE, and KABAT, ELVIN A. An analysis of the sequences of the variable regions of Bence Jones proteins and myeloma light chains and their implications for antibody complementarity, 211

YUNIS, EDMOND J. See STUTMAN, YUNIS, and GOOD, 583, 601

ZEMBALA, M. See ASHERSON and ZEMBALA, 1

ZOLLA, SUSAN, BUXBAUM, JOEL, FRANKLIN, E. C., and SCHARFF, M. D. Synthesis and assembly of immunoglobulins by malignant human plasmacytes. I. Myelomas producing γ-chains and light chains, 148

INDEX TO SUBJECTS

ACETYLPHOSPHOGALACTAN of *Sporobolomyces* yeast, cross-reactions of, 1105

Acids, amino, peptides, and disulfides, metabolism of in lysosomes of fibroblasts cultured from humans with cystinosis, 1090

Albumin, cross-reacting bovine serum, termination of immunological unresponsiveness to in rabbits, 66

Alcian blue in salt solutions, staining of glucosaminoglycans (mucopolysaccharides) by, metachromasia in cultured human fibroblasts, 765

Alloantisera, θ and PC.1, effect of on ability of spleen cells to transfer immune responses, 1181

Allogeneic disease, chronic, development of lymphomas, 417

— lymphocytes, abrogation of sheep erythrocyte tolerance in rats by transfer of, 916

— and xenogeneic transplants of demineralized tooth and bone, transformation of fibroblasts by, 1250

Allograft reaction, skin, cellular and vascular components of, 868

Allotypes and serum concentrations of immunoglobulins, in mice genetically selected for "high" or "low" antibody synthesis, 752

Amino acids, peptides, and disulfides, metabolism of in lysosomes of fibroblasts cultured from humans with cystinosis, 1090

Aminonucleoside nephrosis, ultrastructural study of glomerular permeability in using catalase as tracer protein, ... 1168

Anaerobic bacterial flora of mouse cecum, 251

Antibodies, cytotoxic, intrarenal complement fixation by, 829

—, membrane, of normal and immune lymphoid cells, binding characteristics of as analyzed by hapten–protein antigens, 110

—, teleost, to haptenic determinant, valences and association constants of, phylogeny of immunoglobulin structure and function, 385

Antibody, anti-hapten, enhancement of primary and secondary responses by carrier preimmunization, 261

—, anti-hapten, inhibition by specific haptens of reaction of with anti-idiotypic antibody, 951

—, anti-hapten responses, specific properties of carrier cells capable of enhancement of, 283

— class, determination of in system of cooperating antigenic determinants, 1019

— complementarity, implications for in sequences of variable regions of Bence Jones proteins and myeloma light chains, 211

—, electrophoretically homogeneous, synthesized by spleen foci of irradiated repopulated mice, 199

— formation, regulation of by serum antibody, removal of specific antibody by exchange transfusion, 1279

—, lysis of erythrocytes by complement in the absence of, 898

— production, transfer of with cells from bursa of Fabricius, 134

— synthesis, "high" or "low," serum concentrations and allotypes of immunoglobulins in mice genetically selected for, 752

— system, two-component: immunoglobulin G and immunoglobulin M

anti-globulin (rheumatoid factor), complement fixation by, 673
Antibody–antigen–complement complexes, lymphocytes with membrane receptor for, 702
Antibody-forming cell, single, regulation of avidity in, effect of antigen dose and time after immunization, 77
Antibody-mediated suppression of immune response in vitro, 31
Antibody-producing cells, 19S and 7S, ultrastructure, 448
Anti-fibroblast lymphocyte reaction, glucocorticoids and cellular immunity in vitro, 1055
Antigen dose and time of immunization, effect of on regulation of avidity in single antibody-forming cell, 77
—, increasing cell avidity for, in vitro-initiated secondary anti-hapten response, 926
Antigen–antibody–complement complexes, lymphocytes with membrane receptor for, 702
Antigen-coated columns, separation of normal and lymphoid cells by, 110
Antigen-induced transformation of lymphocytes, synergistic interaction of macrophages and lymphocytes in, 44
Antigen-sensitive cells in delayed-type hypersensitivity, plaque assay for, 16
Antigen-specific cells in mouse bone marrow, effects of priming on immunocyte production by transferred marrow, 1122
— synergism in immune response of irradiated mice given marrow cells and peritoneal cavity cells or extracts, 353
Antigenic cooperating determinants, determination of antibody class in system of, 1019
— determinants in BALB/c IgA myeloma proteins that bind phosphoryl choline, 737
Antigens, hapten-protein, binding characteristics of membrane antibodies of normal and immune lymphoid cells as analyzed by, 110
Antigens, specific, and phytohemagglutinin, in vitro transformation of frozen-stored lymphocytes in culture with, 401
—, surface, effect of θ and PC.1 alloantisera on ability of spleen cells to transfer immune responses, 1181
Anti-hapten antibody, inhibition by specific haptens of reaction of with anti-idiotypic antibody, 951
— antibody responses, primary and secondary, enhancement of by carrier preimmunization, 261
— antibody responses, specific properties of carrier cells capable of enhancement of, 283
—, in vitro-initiated secondary response, increasing cell avidity for antigen, 926
Anti-idiotypic antibody, inhibition by specific haptens of reaction of anti-hapten antibody with, 951
Anti-lymphocyte serum, heterologous, effect on lymphocytes of thymus and marrow origin, 963
Antisera, allo-, θ and PC.1, effect of on ability of spleen cells to transfer immune responses, 1181
Anti-thymocyte serum, effects on viral infection: mousepox, 1035
Atherosclerosis, serum sickness cholesterol-induced, reversibility of, 858
Avidity, increasing cell, for antigen, in vitro-initiated secondary anti-hapten response, 926
—, regulation of in single antibody-forming cell, effect of antigen dose and time after immunization, 77

BACTERIA, anaerobic, of mouse cecum, 251
Bacterial endotoxemia, host defense against, 300

Bacteriocines, production of by Group A streptococci, relationship to glomerulonephritis, 694
Basophil hypersensitivity, cutaneous, general characteristics of Jones-Mote reaction, 546
— hypersensitivity, cutaneous, light and electron microscopic description, 558
Bence Jones proteins and myeloma light chains, sequence analysis of variable regions of, implications for antibody complementarity, 211
Binding characteristics between human monocytes and red cells, 1191
Blood monocytes and fixed macrophages, importance in cell-mediated immunity to infection, 521
Bone marrow, kinetics of promonocytes and monocytes in, 813
— marrow, mouse, antigen-specific cells, effects of priming on immunocyte production by transferred marrow, 1122
— marrow and thymus cells, interaction of, in vitro hemolysin response, 1267
— marrow and thymus, synergism of in production of graft-*versus*-host splenomegaly in X-irradiated hosts, 317
— and tooth, demineralized, transformation of fibroblasts by allogeneic and xenogeneic transplants of, 1250
Bordetella pertussis, leukocytosis and lymphocytosis induced by in mice, 663
Bursa of Fabricius, transfer of antibody production with cells from, 134

C5, human, reaction mechanism of in immune hemolysis, 775
Capsular polysaccharide, of pneumococcus Type 37, biological properties and chemistry, 475
Carrier cells capable of enhancing anti-hapten antibody responses, specific properties of, 283
— preimmunization, enhancement of primary and secondary anti-hapten antibody responses by, 261
Cat feces, *Toxoplasma gondii* oocyst in, 636
Catalase and peroxidase, tracer proteins in ultrastructural study of glomerular permeability, 1153
—, tracer protein in ultrastructural study of glomerular permeability in aminonucleoside nephrosis, 1168
Cecum, mouse, anaerobic bacteria of, 251
Cell avidity for antigen, in vitro-initiated secondary anti-hapten response, 926
—, single antibody-forming, regulation of avidity in, effect of antigen dose and time after immunization, 77
Cell-mediated immunity to infection, importance of blood monocytes and fixed macrophages, 521
— immunity to infection, suppression by antimitotic drug, role of migrant macrophages, 535
Cells, antibody-producing, 19S and 7S, ultrastructure, 448
—, antigen-sensitive, in delayed-type hypersensitivity, plaque assay for, 16
—, antigen-specific, in mouse bone marrow, effects of priming on immunocyte production by transferred marrow, 1122
—, bone marrow and thymic, interaction of, in vitro hemolysin response, 1267
—, carrier, capable of enhancing anti-hapten antibody responses, specific properties of, 283
— from bursa of Fabricius, transfer of antibody production with, 134
—, hemopoietic liver, newborn and embryonic, cooperative effect of with thymus function, 601

Cells, lymphohemopoietic, and thymus function, cooperative effect of in restoration of neonatally thymectomized mice, 583
—, lymphoid, immunocompetence of, and thymus humoral factor, 885
—, lymphoid, normal and immune, separation of by antigen-coated columns, binding characteristics of membrane antibodies as analyzed by hapten–protein antigens, 110
—, marrow, strain differences of in mice, 623
— or extracts, marrow and peritoneal cavity, antigen-specific synergism in immune response of irradiated mice given, 353
—, red. *See* Erythrocytes.
—, spleen, effect of θ and PC.1 alloantisera on ability of to transfer immune responses, 1181
—, spleen, mouse, immunologically reactive, physical and radiobiological properties of, 368
—, splenic precursor, specific for synthetic polypeptides derived from polyproline, frequency of in high and low responder mouse strains, 613
—, thymus and lymph node, rat, surface properties of separated on density gradients, 1107
Cellular basis of genetic control of immune responses to synthetic polypeptides derived from polyproline, in high and low responder mouse strains, 613
— differentiation of immune system of mice, strain differences of marrow cells, 623
— immunity and glucocorticoids in vitro, lymphocyte anti-fibroblast reaction, 1055
— and vascular components of skin allograft reaction, 868
Chains, γ- and light, from myelomas, synthesis and assembly of immunoglobulins by malignant human plasmacytes, 148
Chains, light, myeloma, and Bence Jones proteins, sequence analysis of variable regions of, implications for antibody complementarity, 211
Cholesterol-induced atherosclerosis, serum sickness, reversibility of, 858
Choline, phosphoryl, bound by BALB/c IgA myeloma proteins, antigenic determinants, 737
Columns, antigen-coated, separation of normal and lymphoid cells by, 110
Complement and complement-like activity in lower vertebrates and invertebrates, 941
— fixation by two-component antibody system: immunoglobulin G and immunoglobulin M anti-globulin (rheumatoid factor), 673
— fixation, intrarenal, by cytotoxic antibodies, 829
—, lysis of erythrocytes by, in absence of antibody, 898
Complement–antigen–antibody complexes, lymphocytes with membrane receptor for, 702
Complementarity, antibody, implications for in sequences of variable regions of Bence Jones proteins and myeloma light chains, 211
Complexes, antigen–antibody–complement, lymphocytes with membrane receptors for, 702
Constants, association, and valences of teleost antibodies to haptenic determinant, phylogeny of immunoglobulin structure and function, 385
Contact sensitivity in mouse, role of lymphocytes and macrophages in passive transfer, 1
Cross-reaction, predicted and unpredicted, of acetylphosphogalactan of *Sporobolomyces* yeast, 1105
Cutaneous basophil hypersensitivity, general characteristics of Jones-Mote reaction, 546

Cutaneous basophil hypersensitivity, light and electron microscopic description, 558
Cystinosis, metabolism of amino acids, peptides, and disulfides in lysosomes of fibroblasts cultured from humans with, 1090
Cytochemistry, peroxidase, and morphology of mouse promonocytes, monocytes, and macrophages, 794

DEFENSE, host, against bacterial endotoxemia, 300
Dermal reaction and delayed hypersensitivity-type granuloma formation, induced by soluble factor from *Schistosoma mansoni* eggs, 488
Determinants, cooperating antigenic, determination of antibody class in system of, 1019
Differentiation, cellular, of immune system of mice, strain differences of marrow cells, 623
— of thymus-derived lymphocytes, 1216
Diphtheria toxin in guinea pig, 1138
Disease, chronic allogeneic, development of lymphomas, 417
—, graft-*versus*-host, in Syrian hamsters, epidermolytic syndrome, procurement and pathogenesis of, 163, 181
Diseases, immunologic, of New Zealand mice, effect of induced chronic viral infections on, 89

EGGS, of *Schistosoma mansoni*, delayed hypersensitivity-type granuloma formation and dermal reaction induced by soluble factor from, 488
Embryonic and newborn hemopoietic liver cells, cooperative effect of with thymus function, 601
Endotoxemia, bacterial, host defense against, 300
Epidermolytic syndrome, graft-*versus*-host disease in Syrian hamsters, procurement and pathogenesis of, 163, 181
Epithelial–mesenchymal relationships, implantation, and transplantation in rat uterus, 721
Erythrocyte tolerance, sheep, abrogation of in rats by transfer of allogeneic lymphocytes, 916
Erythrocytes, human red cells and monocytes, binding characteristics of, 1191
—, human red cells and monocytes, interaction between, specificity for IgG subclasses and fragments, 1207
—, lysis of by complement in absence of antibody, 898
Exudate granulocytes, suppression and regeneration of pyrogen-producing capacity of, pathogenesis of fever, 127

FACTOR, soluble, from *Schistosoma mansoni* eggs, delayed hypersensitivity-type granuloma formation and dermal reaction induced by, 488
Feces, cat, *Toxoplasma gondii* oocyst in, 636
Fever, pathogenesis of, suppression and regeneration of pyrogen-producing capacity of exudate granulocytes, 127
Fibroblast, anti-, lymphocyte reaction, glucocorticoids and cellular immunity in vitro, 1055
Fibroblasts cultured from humans with cystinosis, metabolism of amino acids, peptides, and disulfides in lysosomes of, 1090
—, human cultured, metachromasia in, staining of glycosaminoglycans (mucopolysaccharides) by Alcian blue in salt solutions, 765
—, transformation of by allogeneic and xenogeneic transplants of demineralized tooth and bone, 1250
Foci, spleen, of irradiated repopulated

mice, electrophoretically homogeneous antibody synthesized by, 199

γG4 GLOBULIN, genetic variants, relationship to other classes of γG globulin, 508

Galactan, acetylphospho-, of *Sporobolomyces* yeast, cross-reactions of, 1105

Genetic control of immune responses to synthetic polypeptides derived from polyproline, cellular basis for in high and low responder mouse strains, 613

— variants of γG4 globulin, relationship to other classes of γG globulin, 508

Globulin, γG4, genetic variants, relationship to other classes of γG globulin, 508

—, IgG_{2a}-, incompatible, maternally derived, tolerance and immunity, 440

—, α2-macro-, human plasma, inhibitor of plasma kallikrein, 329

Glomerular permeability in aminonucleoside nephrosis, ultrastructural study of using catalase as tracer protein, 1168

— permeability, ultrastructural study of using catalase and peroxidase as tracer proteins, 1153

Glomerulonephritis, relationship to production of bacteriocines by Group A streptococci, 694

Glucocorticoids and cellular immunity in vitro, lymphocyte anti-fibroblast reaction, 1055

Glycosaminoglycans (mucopolysaccharides), staining of by Alcian blue in salt solutions, metachromasia in cultured human fibroblasts, 765

Gradients, density, surface properties of rat thymus and lymph node cells separated on, 1107

Graft-*versus*-host disease in Syrian hamsters, epidermolytic syndrome, procurement and pathogenesis of, 163, 181

Granulocytes, exudate, suppression and regeneration of pyrogen-producing capacity of, pathogenesis of fever, 127

Granuloma formation, delayed hypersensitivity-type, and dermal reaction, induced by soluble factor from *Schistosoma mansoni* eggs, 488

HAPTEN, anti-, antibody responses, primary and secondary, enhancement of by carrier preimmunization, 261

—, anti-, antibody responses, specific properties of carrier cells capable of enhancement of, 283

—, anti-, in vitro-initiated secondary response, increasing cell avidity for antigen, 926

Haptenic determinant, valences and association constants of teleost antibodies to, phylogeny of immunoglobulin structure and function, 385

Hapten-proteins, antigen-binding characteristics of membrane antibodies of normal and immune lymphoid cells as analyzed by, 110

Haptens, specific, inhibition by, of reaction of anti-hapten antibody with anti-idiotypic antibody, 951

Hemolysin response in vitro, interaction of cells of bone marrow and thymic origin, 1267

Hemolysis, immune, reaction mechanism of human C5 in, 775

Hemopoietic liver cells, newborn and embryonic, cooperative effect of with thymus function, 601

Histocompatibility type and immune responsiveness in random bred Hartley strain guinea pigs, 1259

Host defense against bacterial endotoxemia, 300

Hosts, X-irradiated, synergism of thymus and bone marrow in production of graft-*versus*-host splenomegaly in, 317
Humoral factor, of thymus, and immunocompetence by lymphoid cells, 885
Hypersensitivity, cutaneous basophil, general characteristics of Jones-Mote reaction, 546
—, cutaneous basophil, light and electron microscopic description, 558
—, delayed-type, plaque assay for antigen-sensitive cells in, 16
Hypertension, inheritance of in rat, effect of chronic excess salt ingestion, 976

IDIOTYPIC, anti-, antibody, inhibition by specific haptens of reaction of anti-hapten antibody with, 951
IgA myeloma proteins, BALB/c, binding phosphoryl choline, antigenic determinants in, 737
IgG subclasses and fragments, specificity for, interaction between human monocytes and red cells, 1207
IgG_{2a}-globulin, incompatible, maternally derived, tolerance and immunity, 440
Immune anti-hapten responses, specific properties of carrier cells capable of enhancement of, 283
— hemolysis, reaction mechanism of human C5 in, 775
— paralysis, in vitro induction and reversal of, 845
— response, antibody-mediated suppression of in vitro, 31
— response of irradiated mice given marrow cells and peritoneal cavity cells or extracts, antigen-specific synergism in, 353
— responses, effect of θ and PC.1 alloantisera on ability of spleen cells to transfer, 1181
— responses to synthethic polypeptides derived from polyproline, cellular basis for genetic control of in high and low responder mouse strains, 613
Immune anti-hapten responses, responsiveness and histocompatibility type in random bred Hartley strain guinea pigs, 1259
— system of mice, strain differences of marrow cells, 623
Immunity, cellular, and glucocorticoids in vitro, lymphocyte anti-fibroblast reaction, 1055
— to infection, cell-mediated, importance of blood monocytes and fixed macrophages, 521
— to infection, cell-mediated, suppression by antimitotic drug, role of migrant macrophages, 535
— and tolerance to maternally derived incompatible IgG_{2a}-globulin in mice, 440
Immunization, pre-, carrier, enhancement of primary and secondary anti-hapten antibody responses by, 261
—, time after, and antigen dose, effect of on regulation of avidity in single antibody-forming cell, 77
Immunocompetence of lymphoid cells, and thymus humoral factor, 885
Immunocyte production by transferred bone marrow, effects of priming on antigen-specific cells, 1122
Immunoglobulin G and immunoglobulin M anti-globulin (rheumatoid factor): two-component antibody system, complement fixation by, 673
— spots on surface of rabbit lymphocytes, 1001
— structure and function, phylogeny of, valences and association constants of teleost antibodies to haptenic determinant, 385
Immunoglobulins, serum concentrations and allotypes of, in mice genetically selected for "high" or "low" antibody synthesis, 752

Immunoglobulins, synthesis and assembly of by malignant human plasmacytes, myelomas producing γ-chains and light chains, 148
Immunologic diseases of New Zealand mice, effect of induced chronic viral infections on, 89
Immunological unresponsiveness to bovine serum albumin in rabbits, termination of, 66
Immunologically reactive mouse spleen cells, physical and radiobiological properties of, 368
Implantation, transplantation, and epithelial–mesenchymal relationships in rat uterus, 721
Infection, cell-mediated immunity to, importance of blood monocytes and fixed macrophages, 521
—, cell-mediated immunity to, suppression by antimitotic drug, role of migrant macrophages, 535
—, viral, mousepox, effects of antithymocyte serum, 1035
Infections, viral, induced chronic, effect on immunologic diseases of New Zealand mice, 89
Ingestion, of salt, chronic excess, inheritance of hypertension in rat, 976
Inheritance of hypertension in rat, effect of chronic excess salt ingestion, 976
Invertebrates, and lower vertebrates, complement and complement-like activity in, 941
Irradiated mice given marrow cells and peritoneal cavity cells or extracts, antigen-specific synergism in immune response of, 353
— repopulated mice, electrophoretically homogeneous antibody synthesized by spleen foci of, 199

JONES-MOTE reaction, in cutaneous basophil hypersensitivity, 546

KALLIKREIN, human plasma α2-macroglobulin, inhibitor of, 329
Kidney, intrarenal complement fixation by cytotoxic antibodies, 829

LEUKOCYTOSIS and lymphocytosis induced by *Bordetella pertussis* in mice, 663
Liver cells, hemopoietic, newborn and embryonic, cooperative effect of with thymus function, 601
Lymph node and thymus cells, rat, surface properties of separated on density gradients, 1107
Lymphocyte anti-fibroblast reaction, glucocorticoids and cellular immunity in vitro, 1055
Lymphocytes, allogeneic, abrogation of sheep erythrocyte tolerance in rats by transfer of, 916
—, frozen-stored, in vitro transformation in mixed lymphocyte reaction and in culture with phytohemagglutinin and specific antigens, 401
— and macrophages, in passive transfer, contact sensitivity in mouse, 1
— and macrophages, synergistic interaction of in antigen-induced transformation of lymphocytes, 44
— of thymus and marrow origin, effect of heterologous anti-lymphocyte serum on, 963
—, rabbit, immunoglobulin spots on surface of, 1001
—, thymus-derived, differentiation of, 1216
—, with membrane receptor for antigen–antibody–complement complexes, 702
Lymphocytosis and leukocytosis induced by *Bordetella pertussis* in mice, 663
Lymphohemopoietic cells and thymus function, cooperative effect of in restoration of neonatally thymectomized mice, 583

Lymphoid cells, immunocompetence of, and thymus humoral factor, 885
— cells, normal and immune, separation of by antigen-coated columns, binding characteristics of membrane antibodies as analyzed by hapten–protein antigens, 110
Lymphomas, in chronic allogeneic disease, 417
Lysis of erythrocytes by complement in absence of antibody, 898
Lysosomes of fibroblasts cultured from humans with cystinosis, metabolism of amino acids, peptides, and disulfides, 1090

α 2-MACROGLOBULIN, human plasma, inhibitor of plasma kallikrein, 329
Macrophages, fixed, and blood monocytes, importance in cell-mediated immunity to infection, 521
— and lymphocytes, in passive transfer, contact sensitivity in mouse, 1
— and lymphocytes, synergistic interaction of in antigen-induced transformation of lymphocytes, 44
—, migrant, role in suppression of cell-mediated immunity to infection by antimitotic drug, 535
—, promonocytes, and monocytes, mouse, morphology and peroxidase cytochemistry of, 794
Man, binding characteristics between human monocytes and red cells, 1191
—, C5, reaction mechanism of in immune hemolysis, 775
—, cultured human fibroblasts, metachromasia in, staining of glycosaminoglycans (mucopolysaccharides) by Alcian blue in salt solutions, 765
—, interaction between human monocytes and red cells, specificity for IgG subclasses and fragments, 1207
Man, metabolism of amino acids, peptides, and disulfides in lysosomes of fibroblasts cultured from humans with cystinosis, 1090
—, plasma α2-macroglobulin, inhibitor of plasma kallikrein, 329
—, synthesis and assembly of immunoglobulins by malignant plasmacytes in, myelomas producing γ-chains and light chains, 148
Marrow, bone, kinetics of promonocytes and monocytes in, 813
— cells and peritoneal cavity cells or extracts, antigen-specific synergism in immune response of irradiated mice given, 353
— cells, strain differences of in mice, 623
— and thymus lymphocytes, effect of heterologous anti-lymphocyte serum on, 963
—, transferred, effects of priming on immunocyte production by, antigen-specific cells in mouse bone marrow, 1122
Membrane antibodies of normal and immune lymphoid cells, binding characteristics of as analyzed by hapten–protein antigens, 110
— receptor for antigen–antibody–complement complexes, characterization of lymphocytes with, 702
Mesenchymal–epithelial relationships, implantation, and transplantation in rat uterus, 721
Metachromasia in cultured human fibroblasts, staining of glycosaminoglycans (mucopolysaccharides) by Alcian blue in salt solutions, 765
Microscopic description, light and electron, of cutaneous basophil hypersensitivity, 558
Mitotic drug, anti-, suppression of cell-mediated immunity to infection by, role of migrant macrophages, 535
Monocytes, blood, and fixed macrophages, importance in cell-mediated immunity to infection, 521

Monocytes, and promonocytes, kinetics of in bone marrow, 813
—, promonocytes, and macrophages, mouse, morphology and peroxidase cytochemistry of, 794
— and red cells, human, binding characteristics of, 1191
—, and red cells, human, interaction between, specificity for IgG subclasses and fragments, 1207
Morphology and peroxidase cytochemistry of mouse promonocytes, monocytes, and macrophages, 794
Mousepox, viral infection, effects of anti-thymocyte serum, 1035
Mucopolysaccharides (glycosaminoglycans), staining of by Alcian blue in salt solutions, metachromasia in cultured human fibroblasts, 765
Myeloma light chains and Bence Jones proteins, sequence analysis of variable regions of, implications for antibody complementarity, 211
— proteins, BALB/c IgA, binding phosphoryl choline, antigenic determinants in, 737
Myelomas producing γ-chains and light chains, synthesis and assembly of immunoglobulins by malignant human plasmacytes, 148

NEPHRITIS, glomerulo-, relationship to production of bacteriocines by Group A streptococci, 694
Nephrosis, aminonucleoside, ultrastructural study of glomerular permeability in using catalase as tracer protein, 1168
Newborn and embryonic hemopoietic liver cells, cooperative effect of with thymus function, 601
Nucleoside, amino-, nephrosis, ultrastructural study of glomerular permeability in using catalase as tracer protein, 1168

OOCYST, of *Toxoplasma gondii*, in cat feces, 636

PARALYSIS, immune, in vitro induction and reversal of, 845
Pathogenesis of fever, suppression and regeneration of pyrogen-producing capacity of exudate granulocytes, 127
Peptides, amino acids, and disulfides, metabolism of in lysosomes of fibroblasts cultured from humans with cystinosis, 1090
Peritoneal cavity cells or extracts, and marrow cells, antigen-specific synergism in immune response of irradiated mice given, 353
Permeability, glomerular, in aminonucleoside nephrosis, ultrastructural study of using catalase as tracer protein, 1168
—, glomerular, ultrastructural study of using catalase and peroxidase as tracer proteins, 1153
Peroxidase and catalase, tracer proteins in ultrastructural study of glomerular permeability, 1153
— cytochemistry and morphology of mouse promonocytes, monocytes, and macrophages, 794
Phosphogalactan, acetyl-, of *Sporobolomyces* yeast, cross-reactions of, 1105
Phosphoryl choline, bound by BALB/c IgA myeloma proteins, antigenic determinants, 737
Phylogeny of immunoglobulin structure and function, valences and association constants of teleost antibodies to haptenic determinant, 385
Phytohemagglutinin and specific antigens, in vitro transformation of frozen-stored lymphocytes in culture with, 401
Plaque assay for antigen-sensitive cells in delayed-type hypersensitivity, 16
Plasma α2-macroglobulin, human, inhibitor of plasma kallikrein, 329

Plasmacytes, human malignant, synthesis and assembly of immunoglobulins by, myelomas producing γ-chains and light chains, 148
Pneumococcus Type 37, biological properties and chemistry of capsular polysaccharide, 475
Polypeptides, synthetic, derived from polyproline, cellular basis of genetic control of immune responses to, in high and low responder mouse strains, 613
Polyproline, cellular basis of genetic control of immune responses to synthetic polypeptides derived from, in high and low responder mouse strains, 613
Polysaccharide, capsular, of pneumococcus Type 37, biological properties and chemistry, 475
Priming, effects of on immunocyte production by transferred bone marrow, antigen-specific cells, 1122
Promonocytes and monocytes, kinetics of in bone marrow, 813
—, monocytes, and macrophages, mouse, morphology and peroxidase cytochemistry of, 794
Protein, tracer, catalase, in ultrastructural study of glomerular permeability in aminonucleoside nephrosis, 1168
Proteins, BALB/c IgA myeloma, binding phosphoryl choline, antigenic determinants in, 737
—, Bence Jones, and myeloma light chains, sequence analysis of variable regions of, implications for antibody complementarity, 211
–, tracer, catalase and peroxidase, in ultrastructural study of glomerular permeability, 1153
Pyrogen-producing capacity of exudate granulocytes, suppression and regeneration of, pathogenesis of fever, 127

RECEPTOR, membrane, for antigen–antibody–complement complexes, characterization of lymphocytes with, 702
Renal. *See* Kidney.
Rheumatoid factor, immunoglobulin M anti-globulin, and immunoglobulin G, complement fixation by two-component antibody system, 673

SALT, chronic excess ingestion, inheritance of hypertension in rat, 976
Schistosoma mansoni eggs, delayed hypersensitivity-type granuloma formation and dermal reaction induced by soluble factor from, 488
Sensitivity, contact, in mouse, role of lymphocytes and macrophages in passive transfer, 1
Sequence analysis of variable regions of Bence Jones proteins and myeloma light chains, implications for antibody complementarity, 211
Serum antibody, regulation of antibody formation by, removal of specific antibody by exchange transfusion, 1279
—, anti-thymocyte, effects on viral infection: mousepox, 1035
— concentrations and allotypes of immunoglobulins, in mice genetically selected, "high" and "low" antibody synthesis, 752
—, heterologous anti-lymphocyte, effect on lymphocytes of thymus and marrow origin, 963
— sickness cholesterol-induced atherosclerosis, reversibility of, 858
Sickness, serum, cholesterol-induced atherosclerosis, reversibility of, 858
Skin allograft reaction, cellular and vascular components of, 868
Spleen cells, effect of θ and PC.1 alloantisera on ability of to transfer immune responses, 1181
— cells, mouse, immunologically reactive, physical and radiobiological properties of, 368
– foci of irradiated repopulated mice,

electrophoretically homogeneous antibody synthesized by, 199
Splenic precursor cells, specific for synthetic polypeptides derived from polyproline, frequency of in high and low responder mouse strains, 613
Splenomegaly, graft-*versus*-host, synergism of thymus and bone marrow in production of, in X-irradiated hosts, 317
Sporobolomyces yeast, cross-reactions of acetylphosphogalactan of, 1105
Streptococci, Group A, relationship between production of bacteriocines by and glomerulonephritis, 694
Sulfides, di-, amino acids, and peptides, metabolism of in lysosomes of fibroblasts cultured from humans with cystinosis, 1090
Surface antigens, effect of θ and PC.1 alloantisera on ability of spleen cells to transfer immune responses, 1181
— of rabbit lymphocytes, immunoglobulin spots on, 1001
— properties of rat thymus and lymph node cells separated on density gradients, 1107

THYMECTOMIZED, neonatally, mice, cooperative effect of thymus function and lymphohemopoietic cells in restoration of, 583
Thymocyte, anti-, serum, effects on viral infection: mousepox, 1035
Thymus and bone marrow cells, interaction of, in vitro hemolysin response, 1267
— and bone marrow, synergism of in production of graft-*versus*-host splenomegaly in X-irradiated hosts, 317
— function, cooperative effect of newborn and embryonic hemopoietic liver cells with, 601
— function and lymphohemopoietic cells, cooperative effect of in restoration of neonatally thymectomized mice, 583
Thymus humoral factor and immunocompetence by lymphoid cells, 885
— and lymph node cells, rat, surface properties of separated on density gradients, 1107
— and marrow lymphocytes, effect of heterologous anti-lymphocyte serum on, 963
Thymus-derived lymphocytes, differentiation of, 1216
Tolerance and immunity to maternally derived incompatible IgG_{2a}-globulin in mice, 440
–, sheep erythrocyte in rats, abrogation of by transfer of allogeneic lymphocytes, 916
Tooth and bone, demineralized, transformation of fibroblasts by allogeneic and xenogeneic transplants of, 1250
Toxin, diphtheria, in guinea pig, 1138
Toxoplasma gondii oocyst from cat feces, 636
Tracer protein, catalase, in ultrastructural study of glomerular permeability in aminonucleoside nephrosis, 1168
— proteins, catalase and peroxidase, in ultrastructural study of glomerular permeability, 1153
Transfer, passive, role of lymphocytes and macrophages, contact sensitivity in mouse, 1
Transfusion, exchange, removal of specific antibody by, 1279
Transplantation, implantation, and epithelial–mesenchymal relationships in rat uterus, 721
Transplants, allogeneic and xenogeneic, of demineralized tooth and bone, transformation of fibroblasts by, 1250

UTERUS, rat, implantation, transplantation, and epithelial–mesenchymal relationships in, 721

VALENCES and association constants of teleost antibodies to

709065

haptenic determinant, phylogeny of immunoglobulin structure and function, 385
Vascular and cellular components of skin allograft reaction, 868
Vertebrates, lower, and invertebrates, complement and complement-like activity in, 941
Viral infection, mousepox, effects of anti-thymocyte serum, 1035
— infections, induced chronic, effect on immunologic diseases of New Zealand mice, 89

XENOGENEIC and allogeneic transplants of demineralized tooth and bone, transformation of fibroblasts by, 1250
X-irradiated hosts, synergism of thymus and bone marrow in production of graft-*versus*-host splenomegaly in, 317

YEAST, *Sporobolomyces*, cross-reactions of acetylphosphogalactan of, 1105

CONTENTS

No. 1, JULY 1, 1970

PAGE

G. L. ASHERSON and M. ZEMBALA. Contact sensitivity in the mouse. IV. The role of lymphocytes and macrophages in passive transfer and the mechanism of their interaction 1

BARRY R. BLOOM, LUIS JIMENEZ, and PHILIP I. MARCUS. A plaque assay for enumerating antigen-sensitive cells in delayed-type hypersensitivity 16

ERWIN DIENER and MARC FELDMANN. Antibody-mediated suppression of the immune response in vitro. II. A new approach to the phenomenon of immunological tolerance 31

ROBERT C. SEEGER and JOOST J. OPPENHEIM. Synergistic interaction of macrophages and lymphocytes in antigen-induced transformation of lymphocytes 44

D. C. BENJAMIN and W. O. WEIGLE. The termination of immunological unresponsiveness to bovine serum albumin in rabbits. I. Quantitative and qualitative response to cross-reacting albumins 66

BIRGER ANDERSSON. Studies on the regulation of avidity at the level of the single antibody-forming cell. The effect of antigen dose and time after immunization 77

GIORGIO TONIETTI, MICHAEL B. A. OLDSTONE, and FRANK J. DIXON. The effect of induced chronic viral infections on the immunologic diseases of New Zealand mice 89

H. WIGZELL and O. MÄKELÄ. Separation of normal and immune lymphoid cells by antigen-coated columns. Antigen-binding characteristics of membrane antibodies as analyzed by hapten–protein antigens 110

S. FAI CHEUK, HELMUT H. HAHN, DOUGLAS M. MOORE, DONALD N. KRAUSE, PETER A. TOMASULO, and W. BARRY WOOD, JR. Studies on the pathogenesis of fever. XX. Suppression and regeneration of pyrogen-producing capacity of exudate granulocytes 127

D. G. GILMOUR, G. A. THEIS, and G. J. THORBECKE. Transfer of antibody production with cells from bursa of Fabricius 134

SUSAN ZOLLA, JOEL BUXBAUM, E. C. FRANKLIN, and M. D. SCHARFF. Synthesis and assembly of immunoglobulins by malignant human plasmacytes. I. Myelomas producing γ-chains and light chains 148

J. WAYNE STREILEIN and R. E. BILLINGHAM. An analysis of graft-*versus*-host disease in Syrian hamsters. I. The epidermolytic syndrome: description and studies on its procurement 163

239122

PAGE

J. WAYNE STEILEIN and R. E. BILLINGHAM. An analysis of graft-*versus*-host disease in Syrian hamsters. II. The epidermolytic syndrome: studies on its pathogenesis 181

No. 2, AUGUST 1, 1970

A. L. LUZZATI, R. M. TOSI, and A. O. CARBONARA. Electrophoretically homogeneous antibody synthesized by spleen foci of irradiated repopulated mice 199

TAI TE WU and ELVIN A. KABAT. An analysis of the sequences of the variable regions of Bence Jones proteins and myeloma light chains and their implications for antibody complementarity 211

JAMES H. GORDON and RENÉ DUBOS. The anaerobic bacterial flora of the mouse cecum 251

DAVID H. KATZ, WILLIAM E. PAUL, EDMOND A. GOIDL, and BARUJ BENACERRAF. Carrier function in anti-hapten immune responses. I. Enhancement of primary and secondary anti-hapten antibody responses by carrier preimmunization 261

WILLIAM E. PAUL, DAVID H. KATZ, EDMOND A. GOIDL, and BARUJ BENACERRAF. Carrier function in anti-hapten immune responses. II. Specific properties of carrier cells capable of enhancing anti-hapten antibody responses 283

ROBERT C. SKARNES. Host defense against bacterial endotoxemia: mechanism in normal animals 300

HENRY R. HILGARD. Synergism of thymus and bone marrow in the production of graft-*versus*-host splenomegaly in X-irradiated hosts 317

PETER C. HARPEL. Human plasma alpha$_2$-macroglobulin. An inhibitor of plasma kallikrein 329

JAMES C. KENNEDY, PERRY E. TREADWELL, and EDWIN S. LENNOX. Antigen-specific synergism in the immune response of irradiated mice given marrow cells and peritoneal cavity cells or extracts 353

DAVID OSOBA. Some physical and radiobiological properties of immunologically reactive mouse spleen cells 368

No. 3, SEPTEMBER 1, 1970

L. W. CLEM and P. A. SMALL, JR. Phylogeny of immunoglobulin structure and function. V. Valences and association constants of teleost antibodies to a haptenic determinant 385

RICHARD J. MANGI and MICHAEL R. MARDINEY, JR. The in vitro transformation of frozen-stored lymphocytes in the mixed lymphocyte reaction and in culture with phytohemagglutinin and specific antigens. 401

MARTINE Y. K. ARMSTRONG, ERNST GLEICHMANN, HELGA GLEICHMANN,

PAGE

LORRAINE BELDOTTI, JANINE ANDRE-SCHWARTZ, and ROBERT S. SCHWARTZ. Chronic allogeneic disease. II. Development of lymphomas 417

NOEL L. WARNER and LEONORE A. HERZENBERG. Tolerance and immunity to maternally derived incompatible IgG_{2a}-globulin in mice .. 440

FRED G. GUDAT, T. N. HARRIS, SUSANNA HARRIS, and KLAUS HUMMELER. Studies on antibody-producing cells. I. Ultrastructure of 19S and 7S antibody-producing cells 448

JUDITH C. KNECHT, GERALD SCHIFFMAN, and ROBERT AUSTRIAN. Some biological properties of pneumococcus Type 37 and the chemistry of its capsular polysaccharide 475

DOV L. BOROS and KENNETH S. WARREN. Delayed hypersensitivity-type granuloma formation and dermal reaction induced and elicited by a soluble factor isolated from *Schistosoma mansoni* eggs 488

H. G. KUNKEL, F. G. JOSLIN, G. M. PENN, and J. B. NATVIG. Genetic variants of γG4 globulin. A unique relationship to other classes of γG globulin 508

R. J. NORTH. The relative importance of blood monocytes and fixed macrophages to the expression of cell-mediated immunity to infection 521

R. J. NORTH. Suppression of cell-mediated immunity to infection by an antimitotic drug. Further evidence that migrant macrophages express immunity 535

HAL B. RICHERSON, HAROLD F. DVORAK, and SIDNEY LESKOWITZ. Cutaneous basophil hypersensitivity. I. A new look at the Jones-Mote reaction, general characteristics 546

HAROLD F. DVORAK, ANN M. DVORAK, BLANCHE A. SIMPSON, HAL B. RICHERSON, SIDNEY LESKOWITZ, and MORRIS J. KARNOVSKY. Cutaneous basophil hypersensitivity. II. A light and electron microscopic description 558

OSIAS STUTMAN, EDMOND J. YUNIS, and ROBERT A. GOOD. Studies on thymus function. I. Cooperative effect of thymic function and lymphohemopoietic cells in restoration of neonatally thymectomized mice 583

OSIAS STUTMAN, EDMOND J. YUNIS, and ROBERT A. GOOD. Studies on thymus function. II. Cooperative effect of newborn and embryonic hemopoietic liver cells with thymus function 601

No. 4, October 1, 1970

EDNA MOZES, G. M. SHEARER, and MICHAEL SELA. Cellular basis of the genetic control of immune responses to synthetic polypeptides. I.

PAGE

Differences in frequency of splenic precursor cells specific for a synthetic polypeptide derived from multichain polyproline ([T, G]-Pro--L) in high and low responder inbred mouse strains 613

G. CUDKOWICZ, G. M. SHEARER, and T. ITO. Cellular differentiation of the immune system of mice. VI. Strain differences in class differentiation and other properties of marrow cells 623

J. P. DUBEY, NANCY L. MILLER, and J. K. FRENKEL. The *Toxoplasma gondii* oocyst from cat feces 636

STEPHEN I. MORSE and BRUCE A. BARRON. Studies on the leukocytosis and lymphocytosis induced by *Bordetella pertussis*. III. The distribution of transfused lymphocytes in pertussis-treated and normal mice 663

FRANK R. SCHMID, IVAN M. ROITT, and MARIA J. ROCHA. Complement fixation by a two-component antibody system: immunoglobulin G and immunoglobulin M anti-globulin (rheumatoid factor). Paradoxical effect related to immunoglobulin G concentration 673

GARY D. OVERTURF and EDWARD A. MORTIMER, JR. Studies on the relationship between the production of bacteriocines by Group A streptococci and acute glomerulonephritis 694

CELSO BIANCO, RICHARD PATRICK, and VICTOR NUSSENZWEIG. A population of lymphocytes bearing a membrane receptor for antigen–antibody–complement complexes. I. Separation and characterization 702

ALAN E. BEER and R. E. BILLINGHAM. Implantation, transplantation, and epithelial–mesenchymal relationships in the rat uterus 721

MICHAEL POTTER and ROSE LIEBERMAN. Common individual antigenic determinants in five of eight BALB/c IgA myeloma proteins that bind phosphoryl choline 737

GUIDO BIOZZI, RICHARD ASOFSKY, ROSE LIEBERMAN, CLAUDE STIFFEL, DENISE MOUTON, and BARUJ BENACERRAF. Serum concentrations and allotypes of immunoglobulins in two lines of mice genetically selected for "high" or "low" antibody synthesis 752

B. SHANNON DANES, J. E. SCOTT, and ALEXANDER G. BEARN. Further studies on metachromasia in cultured human fibroblasts. Staining of glycosaminoglycans (mucopolysaccharides) by Alcian blue in salt solutions 765

NEIL R. COOPER and HANS J. MÜLLER-EBERHARD. The reaction mechanism of human C5 in immune hemolysis 775

RALPH VAN FURTH, JAMES G. HIRSCH, and MARTHA E. FEDORKO. Morphology and peroxidase cytochemistry of mouse promonocytes, monocytes, and macrophages 794

PAGE

RALPH VAN FURTH and MARTINA M. C. DIESSELHOFF-DEN DULK. The kinetics of promonocytes and monocytes in the bone marrow..... 813

D. SELLIN, M. KÖVARY, U. ROTHER, and K. ROTHER. Intrarenal complement fixation by cytotoxic antibodies..... 829

No. 5, NOVEMBER 1, 1970

V. S. BYERS and E. E. SERCARZ. Induction and reversal of immune paralysis in vitro..... 845

M. VAN WINKLE and L. LEVY. Further studies on the reversibility of serum sickness cholesterol-induced atherosclerosis..... 858

PETER B. LAMBERT and HOWARD A. FRANK. Cellular and vascular components of the allograft reaction. Evidence from returned skin allografts..... 868

NATHAN TRAININ and MYRA SMALL. Studies on some physicochemical properties of a thymus humoral factor conferring immunocompetence on lymphoid cells..... 885

OTTO GÖTZE and HANS J. MÜLLER-EBERHARD. Lysis of erythrocytes by complement in the absence of antibody..... 898

PETER J. MCCULLAGH. The abrogation of sheep erythrocyte tolerance in rats by means of the transfer of allogeneic lymphocytes..... 916

WESLEY W. BULLOCK and MARVIN B. RITTENBERG. In vitro-initiated secondary anti-hapten response. II. Increasing cell avidity for antigen..... 926

N. K. B. DAY, H. GEWURZ, R. JOHANNSEN, J. FINSTAD, and R. A. GOOD. Complement and complement-like activity in lower vertebrates and invertebrates..... 941

BRUCE W. BRIENT and ALFRED NISONOFF. Quantitative investigations of idiotypic antibodies. IV. Inhibition by specific haptens of the reaction of anti-hapten antibody with its anti-idiotypic antibody..... 951

H. F. JEEJEEBHOY. The effect of heterologous anti–lymphocyte serum on lymphocytes of thymus and marrow origin..... 963

KNUD D. KNUDSEN, LEWIS K. DAHL, KEITH THOMPSON, JUNICHI IWAI, MARTHA HEINE, and GEORGE LEITL. Effects of chronic excess salt ingestion. Inheritance of hypertension in the rat..... 976

BENVENUTO PERNIS, LUCIANA FORNI, and LUISA AMANTE. Immunoglobulin spots on the surface of rabbit lymphocytes..... 1001

VOLKER SCHIRRMACHER and KLAUS RAJEWSKY. Determination of antibody class in a system of cooperating antigenic determinants..... 1019

R. V. BLANDEN. Mechanisms of recovery from a generalized viral infection: mousepox. I. The effects of anti-thymocyte serum..... 1035

PAGE

No. 6, December 1, 1970

Irun R. Cohen, Lary Stavy, and Michael Feldman. Glucocorticoids and cellular immunity in vitro. Facilitation of the sensitization phase and inhibition of the effector phase of a lymphocyte antifibroblast reaction 1055

Ellen Borenfreund, Yuji Honda, Mildred Steinglass, and Aaron Bendich. Studies of DNA-induced heritable alteration of mammalian cells 1071

Joseph D. Schulman and Kathryn H. Bradley. The metabolism of amino acids, peptides, and disulfides in lysosomes of fibroblasts cultured from normal individuals and those with cystinosis 1090

Michael Heidelberger and Morey E. Slodki. Predicted and unpredicted cross-reactions of an acetylphosphogalactan of *Sporobolomyces* yeast. II. 1105

D. G. Colley, A. Y. Shih Wu, and B. H. Waksman. Cellular differentiation in the thymus. III. Surface properties of rat thymus and lymph node cells separated on density gradients 1107

Harold C. Miller and Gustavo Cudkowicz. Antigen-specific cells in mouse bone marrow. I. Lasting effects of priming on immunocyte production by transferred marrow 1122

Joel G. Baseman, A. M. Pappenheimer, Jr., D. M. Gill, and Annabel A. Harper. Action of diphtheria toxin in the guinea pig 1138

M. A. Venkatachalam, M. J. Karnovsky, H. D. Fahimi, and R. S. Cotran. An ultrastructural study of glomerular permeability using catalase and peroxidase as tracer proteins 1153

M. A. Venkatachalam, R. S. Cotran, and M. J. Karnovsky. An ultrastructural study of glomerular permeability in aminonucleoside nephrosis using catalase as a tracer protein 1168

T. Takahashi, E. A. Carswell, and G. J. Thorbecke. Surface antigens of immunocompetent cells. I. Effect of θ and PC.1 alloantisera on the ability of spleen cells to transfer immune responses 1181

N. Abramson, A. F. LoBuglio, J. H. Jandl, and R. S. Cotran. The interaction between human monocytes and red cells. Binding characteristics 1191

N. Abramson, E. W. Gelfand, J. H. Jandl, and F. S. Rosen. The interaction between human monocytes and red cells. Specificity for IgG subclasses and IgG fragments 1207

J. J. T. Owen and M. C. Raff. Studies on the differentiation of thymus-derived lymphocytes 1216

Curla S. Walters and Hans Wigzell. Demonstration of heavy and light chain antigenic determinants on the cell-bound receptor for

PAGE

antigen. Similarities between membrane-attached and humoral antibodies produced by the same cell. 1233

CHARLES HUGGINS, SOL WISEMAN, and A. H. REDDI. Transformation of fibroblasts by allogeneic and xenogeneic transplants of demineralized tooth and bone. 1250

WILLIAM JOHN MARTIN, LEONARD ELLMAN, IRA GREEN, and BARUJ BENACERRAF. Histocompatibility type and immune responsiveness in random bred Hartley strain guinea pigs. 1259

KLAUS-ULRICH HARTMANN. Induction of a hemolysin response in vitro. Interaction of cells of bone marrow origin and thymic origin. 1267

JEAN-CLAUDE BYSTRYN, MARTIN W. GRAF, and JONATHAN W. UHR. Regulation of antibody formation by serum antibody. II. Removal of specific antibody by means of exchange transfusion. 1279